


Z4400.605



T. 34

Lepidopterorum Catalogus

editus a

Chr. Aurivillius et H. Wagner

Pars 4:

H. Wagner et R. Pfitzner

Hepialidae.

Einzel-Preis: Mark 2.50

Subscriptions-Preis: Mark 1.65

W. Junk

Berlin W. 15, Kurfuerstendamm 201.

24. XI. 1911.

W. JUNK, Berlin W. 15.
Verlag und Antiquariat für Entomologie.

Coleopterorum Catalogus

Auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Bisher erschien: Published till now: Paru jusqu'aujourd'hui:

Partes 1—37. 1910—1911. (M. 284,90)
Mark 189,65.

Disqué, Verzeichnis der in der Pfalz vorkommenden Kleinschmetterlinge (Micro-Lepidoptera). 1906. 8. 73 p. Mk. 2.—

Federley, Lepidopterologische Temperatur-Experimente mit besond. Berücksichtigung der Flügelschuppen. 1905. 8. 119 p. m. 3 Tfln. u. 7 Fig. Mk. 5.—

Hartmann, Die Klein-Schmetterlinge (Micro-Lepidoptera) des Europaischen Faunengebietes. 1880. 8. 182 p. (Mark 4.20). Mk. 2.50

Jensen, Bestemmelses-Tabeller ov. Danske Sommerfugle (Macro-Lepidopt.). 1902. 8. 23 p. m. Fig. Mk. 1.—

Junk, Entomologen-Adressbuch. The Entomologist's Directory. Annuaire des Entomologistes. 1905. 8. 302 p. Origbd. (Statt 5 Mark.) Mk. 3.—

Circa 9000 Adressen aller Entomologen auf der ganzen civilisierten Erde nebst Angabe der Specialität enthaltend. Von der Fachpresse auf das glänzendste recensiert.

Mitterberger, Verzeichnis der im Kronlande Salzburg bisher beobachteten Microlepidopteren (Kleinschmetterlinge). 1909. 8. 358 p. Mk. 10.—

Prochnow, Die Laut-Apparate der Insekten. Beitr. zur Zoophysik u. Descendenz-Theorie. 1908. 8. 178 p. mit 49 Fig. Mk. 5.—

Prochnow, Reactionen auf Temperatur-Reize. 1908. 8. 63 p. mit Fig. Mk. 2.50

Ribbe, Anleitung zum Sammeln von Schmetterlingen in tropischen Ländern. 1907. 8. 44 p. Mk. 1.50

Octave 8°
24/11/1905

Lepidopterorum Catalogus

editus a

Chr. Aurivillius et H. Wagner

Pars 4:

H. Wagner et R. Pfitzner

Hepialidae.



W. Junk

Berlin W. 15, Kurfuerstendamm 201.
1911.

Druck von A. Hoyer in Burg b. M.

Fam. Hepialidae.

Auct. H. Wagner et R. Pfitzner.

Steph., Ill. Brit. Ent. Haust. 2, p. 3, 1829. — Newman, Ent. Mag. 1, p. 67, 1832. — Herr.-Schäff., Syst. Bearb. d. Schmett. Eur. 2, p. 5, 1845. — Walk., Cat. Lep. Het. Br. M. 7, p. 1548, 1856; 32, p. 592, 1865. — Snellen, Vlind. v. Nederl., p. 117, 1867. — Wallengr., Scand. Heteroc. Fjaril., p. 9, 1869. — Meyr., Proc. Linn. Soc. N.-S.-W., 4 (2. Ser.), p. 1127, 1890. — Trans. N.-Zeal. Inst. 22, p. 204, 1890. — Hamps., Moths of India 1, p. 315, 1892. — Huds. N.-Zeal. Moths & Butterfl., 1898. — Butl., Cat. Lep. N.-Zeal. 1, p. 4, 1874. — Holland, Moth Book p. 443, 1905. — Rebel, Berges Schmetterlingsbuch p. 474, 1910.

Biologie, Anatomie etc.: Illidge, Proc. Queensl. 13, p. 21—28, 1898. — Quail, Trans. Ent. Soc. Lond. p. 411—32, t. 5, 6, 1900. — Peyron, Kgl. Vet. Ak. Handl. 44, No 1, p. 294, 1909. (Im weiteren sei auf die Gttn. verwiesen!)

Kataloge: Stephens, System. Catal. Brit. Ins., 1829. — Walker, Cat. Lep. Het. Br. M. 7, 1856; 32, 1865. — Cotes & Swinhoe, Catal. Moths of India, p. 235 & f. 1887, p. 744, 1889. — Swinhoe, Catal. East. & Austral. Lep. Heteroc. 1, p. 286—292, 1892. — Kirby, W. F., Cat. Lep. Heteroc. 1., Sphing. & Bomb. p. 879—894, 1892. — Staudinger & Rebel, Catal. d. Lepid. d. paläarkt. Faungb., Berl. 1901, p. 410—11.

Hepialus F.

Fabricius, Syst. Ent. p. 589, 1775. — Spec. Ins. 2, p. 207, 1781. — Mant. Ins. 2, p. 134, 1881. — Ent. Syst. 3, (2), p. 5, 1787. — Schrank, Faun. boic. 2 (1. Abt.), p. 301, 1798. — Haw., Lep. Brit. p. 138, 1803—28. — Borkh., Naturg. Eur. Schmett. 3, p. 144, 1790. — Brahm, Ins. Kal. p. 58, 1790. — Latr., Nouv. Dict. d'Hist. Nat. 24, p. 186, 1804. — Curtis, Brit. Ent. 3, t. 185, 1826. — God., Hist. Nat. Lep. France 4, p. 30, 1824. — Boisd., Icon. Lep. 2, p. 185, 1834. — Dup., Cat. Léop. d'Eur. p. 82, 1844. — Herr.-Schäff., Samml. Eur. Schmett., Text 2, p. 6, 1846. — Walk., Cat. Lep. Het. B. M. 7, p. 1550, 1856; 32, p. 592, 1865. — Snellen, Vlind. v. Need. p. 117, 1867. — Wallengr., Scand. Heteroc. Fjaril. p. 10, 1869. — Hampson, Moths of India 1, p. 316, 1892. — Neumoeg. & Dyar, Journ. N. Y. Ent. Soc. 2, p. 167, 1894. — Holland, Moth Book 1, p. 444, 1905. — Berge-Rebel, Schmetterlingsbuch p. 474, 1910.

Synon. *Hepiolus* Ill., Mag. Ins. 1, p. 138, 1802. — Ochsh., Schmett. Eur. 3, p. 103, 1810. — Meigen, Syst. Besch. Eur. Schmett. 3, p. 56, 1829. *Epialus* Led., Verh. zool. bot. Ges. Wien 2, p. 73, 1852. — Heinem., Schmett. Deutschl. & Schweiz p. 174, 1859. *Gazoryctra* Hbn., Verz. bek. Schmett. p. 198, 1816.

- Pharmacis* Hbn., l. c. p. 199.
Triodia Hbn., l. c. p. 198.
 Subgen. *Alphus* Wallengr., Skand. Het. 2, p. 17, 1869.
Phymatopus Wallengr., l. c. p. 20.
- **amasinus** Herr.-Schäff., Schmiett. Eur. 6, p. 39, f. 4, 1851, Sicilien,
 Hep. 7. — Walker, Cat. Lep. Het. B. M. 32, Dalmatien,
 p. 592 (1865). — Berge-Rebel, Schmett. p. 475, Griechenland,
 1910 Amasien
- ammon** Wallengr., Wien. Ent. Mon. 4, p. 43, 1860. — Kaffernland
 Walker, Cat. Lep. Het. B. M. 32, p. 593, 1865.
- antarcticus** Wallengr., Wien. Ent. Mon. IV, p. 43, 1860. Capland
 — Eugen. Resa, Zool. p. 363, 1861.
- armoricanus** Obth., Lépid. comp. 3, p. 411, t. 25, f. 135, Thibet
 1909; Obth., Bull. Soc. Ent. France p. 250, 1909.
- aurifaber** Feld., Reise d. Novara, Lep. IV, 1874, t. 82, Cape
 f. 11. (Ptycholom.) (an huj. gener.?)
- Behrensi** Stretch, Zyg. Bomb. N.-Am., p. 105, t. 4, f. 6, Californien
 1872. — Neumoeg. & Dyar, Journ. N. Y. Ent. Soc.
 2, p. 168, 1894.
- tacomae* H. Edw.
- californicus** Boisd., Ann. Soc. Ent. Belg. 12, p. 85, 1868. Californien
 Neumoeg. & Dyar, l. c. p. 170.
- **carna** Esp. Esper, Schmiett. 4, p. 31, t. 82, Noct. 3, f. 1, Alpen,
 1785 (*carna*). — Borkhaus., Naturg. Eur. Schmiett. Karpathen,
 3, p. 159, 1790 (*carna*). — Brahm, Ins.-Kalend. Trans-
 p. 479, 1790 (*carna*). — Fabric., Ent. Syst. 3 (2), sylv.-Alpen
 p. 6, 1792 (*carnus*). — Sehrank, Faun. boic. 2
 (1. Abt.), p. 304, 1798 (*carna*). — Hübn., Samml.
 Eur. Schmiett., Bomb. p. 154, t. 50, f. 214 (♀),
 1800 (*carna*). — Ochsenh., Schmiett. Eur. 3,
 p. 107, 1810 (*carnus*). — Herr.-Schäff., Syst.
 Bearb. Schmiett. Eur. 2, p. 8, Kupf. 2, Hep. t. 1,
 f. 5, 1846. — Stephens, Ill. Br. Ent. Haust. 2,
 p. 7, t. 13, f. 1 (♂), 1829 (*carnus*). — Dup., Hist.
 Nat. Lépid. 4, p. 142, t. 14, f. 1 a—c, 1836 (*carna*). —
 Frr., Neuere Beitr. Schmiett. 3, p. 144, t. 183, f. 4,
 1836 (*carna*). — Walk., Cat. Lep. Br. M., Het.
 7, p. 1552, 1856 (*carnus*). — Heinem., Schmiett.
 Deutschl. & Schweiz p. 176, 1859 (*carna*). —
 Berge-Rebel, Schmiett. p. 475, 1910.
- jodutta* Hübn., Samml. Eur. Schmiett., Bomb.
 p. 154, t. 50, f. 13 (♂), 1800.
- socordis* Frr., Neuere Beitr. Schmiett. 6, p. 122,
 f. 560 n. 1 (♂), 1850.
- uredo* Frr., l. c. f. 560, n. 2 (♀).
 Biologie: Boisd., Icon. et Hist. Chenill. d'Eur.
 2, p. 186, t. 69, f. 4, 1834.
- **cyanochlora** Lower, Trans. R. Soc. S.-Austr. 18, p. 77, Queensland
 1894.
- daphnandrae** Lucas, Proc. Linn. Soc. N.-S.-Wal. 6, (2), Australien
 p. 284, 1892.
- Davidi** Pouj., Bull. Soc. Ent. France 6, (6), p. XCII, 1886. Moupin
- dimidiatus** Berg, Ann. Soc. Arg. 13, p. 220, 1882. Chili
 (Aepy. dim.; an huj. gen.?)
- epigramma** Herr.-Schäff., Aussereur. Schmiett. 1, t. 31, Brasilien
 f. 146, 1855. (Aepytus epigr.)

- fusconebulosa** De Geer, Mém. 8, p. 598, t. 44, f. 16, 1778.
 — Aurivill., Nord. Fjär. p. 56, 1888.
mappa Donav., Nat. Hist. Brit. Ins. 10, p. 95, t. 36, f. 3, 1810 (Phal. Noctua). — Samouelle, Nom. Brit. Ent. 1, p. 21, 1819.
Velleda Hübn., Samml. Eur. Schmett., Bomb. p. 153, t. 50, f. 212, t. 54, f. 233 & 234, 1804 (*Bombyx*).
 — Esper, Schmett. 4, p. 58, t. 195, f. 1, 1785 (*Noctua*). — Ochsenh., Schmett. Eur. 3, p. 105, 1810 (*Hepiolus*). — Haw., Lep. Brit. p. 141, 1803—28. — Steph., Ill. Brit. Ent. (Haust.) 2, p. 6, 1829. — Herr.-Schäff. Syst., Bearb. Schmett. Eur. 2, p. 8, 1845. — Dup., Hist. Nat. Lép. 3, p. 146, t. 14, f. 2 a u. c, 1836. — Frr., Neuere Beitr. Schmett. 4, p. 24, t. 302, f. 1 u. 2, 1842. — Hübn.-Geyer, Samml. Eur. Schmett., p. 308, 1827—41. — Walk., Cat. Lep. Br. M., Het. 7, p. 1552, 1856. — Heinem., Schmett. Deutschl. u. Schweiz p. 175, 1859. — Wallengr., Scand. Het. Fjär. p. 13, 1869 (*Hepiolus*). — Barr., Ent. Monthl. Mag. 3, p. 186, 1866—67. — Clarke, Ent. Monthl. Mag. 7, p. 61, 1870—71. — Price, Entomologist 7, p. 204, 1874. — Spiller, Entomologist 6, p. 434, 1873. — Weir, Entomologist 13, p. 289, t. 4, f. 16, 17, 1880. — Hoffm., Stett. Ent. Z. 45, p. 358, 1884. — Barr., Brit. Lep. 2, t. 62, f. 3, 1893—95. — Berge-Rebel, Schmetterl. p. 475, 1910.
 — **ab. gallicus** Led., Verh. zool. Bot. Ges. Wien 2, p. 106, 1852. Frankreich
Velleda Boisd., Icon. Hist. Chenill. d'Eur. 2, t. 69, f. 5 (♂), 1834. — Dup., Hist. Nat. Lép. 3, t. 14, f. 2 b, 1836. — Herr.-Schäff., Schmett. Eur. Kupf. 2, taf., Hep. 1, f. 4, 1865.
 var. **askoldensis** Stdgr., Romanoff, Mém. Lép. 3, p. 139, t. 11, f. 5, 1887. — ib. 6, p. 290, 1892. Ussuri-Askold
minor Stdgr. l. c.
 Biologie: Boisd., Icon. Hist. Chenill. d'Eur. 2, p. 188, t. 69, f. 6, 1834. — Stecle, Ent. Monthl. Mag. 6, p. 41, 1869—70. — Buckler, Ent. Monthl. Mag. 7, p. 84, 1870—71. — Hofm., Raup. d. Gr.-Schmett. Eur. p. 48, 1893.
ganna Hübn., Samml. Eur. Schmett. p. 154, t. 50, f. 215 (♂), 1804 (*Bombyx*). — Ochsenh., Schmett. Eur. 3, p. 113, 1810. — Dup., Hist. Nat. Lép. 4, p. 13, t. 51, f. 4, 1842. — Frr., Beitr. Schmett. 5, p. 129, t. 459, f. 4, 5, 1845. — Herr.-Schäff., Syst. Bearb. Schmett. Eur. 2, p. 6, Kupf. 2, taf. Hep. 1, f. 2, 3, 1845. — Walk., Cat. Lep. Het. Br. Mus. 7, p. 1555, 1856. — Heinem. Schmett. Deutschl. u. Schweiz, p. 174, 1859. — Berge-Rebel, Schmetterl. p. 475, 1910. Schweden,
 Rußland,
 Ostpreußen,
 Alpen,
 Amur
arcticus Boh., Vet. Akad. Handl. 2, p. 190, 1848. — Wallengr., Skand. Het. 2, p. 14, 1869.
gracilis Grote, Proc. Ent. Soc. Phil. 3, p. 522, t. 5, f. 4, 1864. — Neumoeg. & Dyar, Journ. N. Y. Ent. Soc. 2, p. 168, 1894. — Holl., Moth Book, p. 444, 1905. Canada
furcatus Grote, Canad. Entom. 15, p. 30, 1883.

- hectoides* Boisd., Ann. Soc. Ent. Belg. 12, p. 85, 1868. — Californien,
Neumoeg. & Dyar, Journ. N. Y. Ent. Soc. 2,
p. 170, 1894. Arizona
- inutilis* H. Edw., Papilio 1, p. 36, 1881.
- modestus* H. Edw., Proc. Calif. Acad. 5, p. 112,
1873.
- var. *Lenzi* Behr., Canad. Ent. 8, p. 175, 1876.
- sangaris* Streck., Lep. p. 136, t. 15, f. 5, 1876.
- *hectus* L., Syst. Nat. ed. X, App. p. 833, 1758 (*hecta*). — Europa,
Fabr., Spec. Ins. 2, p. 208, 1781 (*hectus*). — Ussuri,
Mant. Ins. 2, p. 134, 1787. — Borkh., Naturg. Japan
Eur. Schmett. 3, p. 148, 1790 (*hectus*). — Fabr.,
Ent. Syst. 3 (2), p. 6, 1792. — Esper, Schmett. 4,
p. 25, t. 80, f. 5—7, 1786 (*hecta*). — Engr., Pap.
d'Eur. 5, p. 81, t. 193, f. 251, a, b, c, 1785. —
Müll., Zool. Dan. Prodr. p. 121, 1786. — Fucssl.,
Schweiz. Ins. p. 36, 1782. — Schrank, Faun.
boic. 2 (1. Abt.), p. 303, 1798. — Hübn., Samml.
Eur. Schmett. Bomb. p. 153, t. 49, f. 208 (♂),
209 (♀), 1804. — Don., Nat. Hist. Br. Ins. 8,
p. 60, t. 274, f. 3 (♂), 1800. — Stew., El. Nat.
Hist. 2, p. 206, 1802. — Turt., Syst. Nat. 3, p. 340,
1806. — Haw., Lep. Brit. p. 144, 1803—28. —
Ochsenh., Schmett. Eur. 3, p. 116, 1810 (*hectus*,
Hepiolus) 4, p. 51, 1816. — Leach, Ed. Encycl.
9, p. 132, 1810. — Godart, Hist. Nat. Léop.
France 4, p. 35, t. 1, f. 3, 4, 1824. — Steph.,
Ill. Brit. Ent. Haust. 2, p. 4, 1829. — Meigen,
Syst. Besch. Eur. Schmett. 3, p. 57, t. 89,
f. 6 a, b, f. 7 a, b, 1829. — Heyden, Isis V—VII,
p. 718, 1830. — Féruss., Bullet. Soc. Fr. 24,
p. 111, 1831. — Dohrn, Stett. Ent. Z. 6, p. 311,
1845. — Herr.-Schäff., System. Bearb. Eur.
Schmett. 2, p. 8, 1845. — Walker, Cat. Lep. Het.
Br. M. 7, p. 1553, 1856. — Heinem., Schmett.
Deutschl. u. Schweiz p. 176, 1859 (*hecta*). —
Snellen, Vlind. v. Neederl. p. 118, 1867 (*hecta*). —
Wallengr., Scand. Heteroc. Fjaril. p. 21, 1869
(*Phymatopus*). — Barr., Brit. Lep. 2, t. 62, f. 1,
1893. — Berge-Rebel, Schmetterl. p. 475, t. 52,
f. 22 b (♂), 1910.
- jodutta* Esp., Schmett. 4, p. 30, t. 81, f. 6 (♀),
1786. — Fabr., Mant. Ins. 2, p. 134, 1787. —
Borkhaus., Naturg. Eur. Schmett. 3, p. 160,
1790. — Schrank, Faun. boic. 2, p. 303, 1798.
- nemorosa* Esp., l. c. f. 5 (♂). — Borkhaus., l. c.
p. 159.
- ab. *decorata* Krul., Berge-Rebel, Schmetterl. p. 475,
1910.
- ab. *flina* Hübn.-Geyer, Samml. Eur. Schmett.
f. 297, 298, 1827.
- Biologie: Andr., Entomologist 3, p. 115, 1866—
67. — Buckler, Ent. Monthl. Mag. 5, p. 177,
1868—69. — Hofm., Raup. d. Gr.-Schmett. Eur.
p. 49, t. 14, f. 8 a, b, 1893. — Berge-Reb., Schmet-
terl. p. 475, t. 52, f. 22 a, 1910. — Packard,
J. N. Y. Ent. Soc. 3, t. 3 u. 4, 1895. — Degener,
Zeitschr. wissensch. Zool. 71, p. 276—95, t. 20,
1902. — Entomologist p. 9, 1904.

hilaris Lucas, Proc. Lin. Soc. N.-S.-Wales 4, (2), p. 284, 1892.

Australien

- ◀ *humuli* L. Linné., Syst. Nat. ed. X, p. 508, 1758. — Faun. Suec. p. 917, 1761 (*Phal.-Noctua hum.*). — Sulzer, Abgek. Gesch. d. Ins. 2. Teil, p. 160, t. 22, f. 1, 1776. — Harr., Ins. Angl. t. 4, f. a—d, 1778. — Engr., Pap. d'Eur. 5, p. 74, t. 191, f. 248, a—k, 1779—83. — Fabr., Spec. Ins. 2, p. 207, 1781. — Fuessl., Schw. Ins. p. 36, 1782. — Müll., Zool. Dan. Prodr. p. 120, 1786. — Esp., Schmett. 4, p. 20, t. 80, Noct. f. 1—4, 1786. — Fabr., Mant. Ins. 2, p. 134, 1787. — Brahm, Ins. Kal. p. 59 u. 478, 1790. — Borkh., Naturg. Eur. Schmett. 3, p. 144, 1790. — Fabr., Ent. Syst. 3, (2), p. 5, 1792. — Donovan., Nat. Hist. Brit. Ins. 8, p. 59, t. 274, f. 1, 2, 1800. — Schrank., Faun. boic. 2 (1. Abt.), p. 301, 1798—1800. — Stew., El. Nat. Hist. 2, p. 206, 1802. — Haw., Lep. Brit. p. 138, 1803. — Turt., Syst. Nat. 3, p. 340, 1808. — Hübner., Samml. Eur. Schmett. Bomb. p. 152, t. 48, f. 203 (♂), 204 (♀), 1804. — Ochsenh., Schmett. Eur. 3, p. 104, 1810. — God., Hist. Nat. Léop. France 4, p. 32, t. 1, f. 1, 2, 1824. — Steph., Ill. Brit. Ent. Haust. 2, p. 6, 1829. — Meigen, Syst. Besch. Eur. Schmett. 3, p. 56, t. 89, f. 3 a (♂), b (♀), 1829. — Westw. & Humph., Brit. Moths 1, p. 46, t. 8, f. 7, 1843. — Herr.-Schäff., Syst. Bearb. Eur. Schmett. 2, p. 6, 1845. — Walker, Cat. Lep. Het. Br. M. 7, p. 1551, 1856. — Heinemann, Schmett. Deutschl. u. Schw. p. 174, 1859. — Bond, Trans. Ent. Soc. Lond. 2 (3. Ser.), p. 60, 82, 1864—66. — Snellen, Vlind. v. Need. p. 117, 1867. — Wallengr., Scand. Heter. Fjaril. p. 10, 1869. — Clifford, Entomologist 6, p. 30, 1872—73. — Barr., Brit. Lep. 2, t. 63, 1893. — Morton, Ent. Mag. 30, p. 212, 1894. — Mc. Arthur, Entomologist p. 204, 1895. — Ent. Mag. 38, p. 263, 1902. — Phys. Soc. Edinbg. p. 158, 1904. — Berge-Rebel, Schmetterl. p. 474, t. 52, f. 16 c (♂) d (♀), 1910. —
- var. *thulensis* Crotch, Entomologist 2, p. 176, 1864—65. — Newm., Entomologist 2, p. 162—63, 1864—65. — Müll., Entomologist 3, p. 58, 1866—67. — Snell v. Vollenh., Entomologist 3, p. 27, 1866—67. — Eastham, Entomologist 6, p. 427, 1872—73. — Berge-Rebel l. c. p. 474.
- hethlandicus* Stdgr., Cat. ed. 2, p. 60, 1871. — Weir, Entomologist 13, p. 251, t. 3, 1880. — Hoffmann, Stett. Ent. Z. 45, p. 357, 1884; 48, p. 265, 1887. — Bright & Reid, Ent. Mag. 32, p. 5, 1896.
- humuli* var.? Knaggs, Ent. Ann. p. 98, 1865. — Snell, Tijdschr. f. Ent. 1, (2), p. 63, t. 2, f. 3, 4, 1866. — Mill., Iconogr. 3, t. 94, f. 4, 5, 6, 1868. — Barr., Brit. Lep. 2, t. 63, f. 1 b—d, 1893.
- Biologie: Larv. Lep. Bomb. 3, Tereb. C. a, f. a—c, 1802. — Schwarz, Raup. Kalend. 2, p. 7, 26, 106, 533, 701, 761; 1791. — Wallengr., Scand. Het. Fjaril. p. 12, 1869. — Chapman, Ent.

Europa,
Armenien

Monthl. Mag. 13, p. 63, 1876—77. — Gregson, Naturalist Lond. 1, p. 78, 1865. — Brandt, Ber. d. VI. Ver. Russ. Naturf., Teil 2, p. 70, 1880. — Packard, N. Y. Ent. Soc. 3, t. 3 u. 4, 1895. — Hofm., Raup. Gr.-Schmett. Eur. p. 48, t. 14, f. 5, 1893. — Berge-Reb. Schmett. p. 474, t. 52, f. 16 a (Raupe), b (Puppe), 1910. — Peyron, kgl. Svensk. Vet. Ak. Handl. 44, Nr. 1, p. 294, 1909.

- hyperboreus** Möschl., Wien. ent. Mon. 6, p. 129, 1862. — Stett. Ent. Z. 31, p. 251, 1870; 35, p. 158, 1874. — Neumoeg. & Dyar, Journ. N. Y. Ent. Soc., 2, p. 168, 1894. — Dyar, Canad. Ent. 28, p. 175, 1896. — Holland, Moth Book p. 444, t. 41, f. 15 (♂), 1905. Labrador,
Colorado,
Californien
- pulcher** Grote, Proc. Ent. Soc. Phil. 3, p. 522, t. 5, f. 3, 1864.
- Mc. Glashani** H. Edw., Ent. Amer. 2, p. 14, 1886.
- var. Matthiewi** H. Edw., Proc. Calif. Acad. 5, p. 265, 1874. Californien
- var. confusus** H. Edw., Papil. 4, p. 122, 1884.
- roseicaput** Neumoeg. & Dyar, Canad. Ent. 25, p. 125, 1893. Alaska
Brit. Colum-
bien
- keniae** Holl. Entom. 25, Supp. p. 94, 1892. — P. U. S. Mus. 18, p. 252, t. 7, f. 6, 1896. Kenia
Ostafrika,
- Lemberti** Dyar, Ent. News, Phil. 5, p. 25, 1894. — Neumoeg. & Dyar, Journ. N. Y. Ent. Soc. 2, p. 168, 1894. — Holl., Moth Book p. 444, t. 41, f. 16 (♂), 1905. Californien;
- lupulinus** L., Linné, Syst. Nat., ed. X p. 508, 1758. — Faun. Suec. ed. 2 p. 306, 1761. — Clerck, Icon. Ins. t. 9, f. 4, 1764. — Engr., Pap. d'Eur. 5, p. 84, t. 193, f. 252, a—d, 1779—83. — Fabr., Spec. Ins. 2, p. 207, 1781. — Esp., Schmett. 4, p. 27, t. 81, Noct. 2, f. 1—4 (*lupulina*). — Fabr., Mant. Ins. 2, p. 134, 1787. — Brahm, Ins. Kal. p. 476, 1790. — Borkh., Naturg. Eur. Schmett. 3, p. 151, 1790. — Fabr., Ent. Syst. 3, (2), p. 6, 1792. — Schrank, Faun. boic. 2 (1. Abt.), p. 304, 1798. — Haw., Lep. Brit. p. 143, 1803—28. — Ochsenh., Schmett. Eur. 3, p. 114, 1810. — Godart, Hist. Nat. Léop. France, 4, p. 38, t. 1, f. 5, 6, 1824. — Steph., Ill. Brit. Ent., Haust. 2, p. 5, 1829. — Meigen, Syst. Besch. Eur. Schmett. 3, p. 57, t. 89, f. 5, 1829. — Frr., Beitr. Schmett. 2, p. 45, t. 122, 1834. — Westw. & Humph., Brit. Moths. 1, p. 45, t. 8, f. 3—5, 1843. — Walker, Cat. Lep. Het. Br. M. 7, p. 1553, 1856. — Heinem., Schmett. Deutschl. u. Schweiz p. 174, 1859. — Herr.-Schäff., Syst. Bearb. Schmett. Eur. 2, p. 7, 1845. — Snellen, Vlind. v. Nederl. p. 118, 1867. — Wallengr., Scand. Het. Fjaril. p. 15, 1869. — Catillon, Bull. Scient. Dép. Nord p. 44, 1879. — Barr., Brit. Lep. 2, t. 62, f. 2, 1893. — Berge-Reb., Schmett. p. 475, t. 52, f. 20 b (♂), c (♀), 1910.
- angulum** Haw., Lep. Brit. p. 142, 1809.
- cora** Schrank, Fauna boica 2, p. 304, 1801.

- flina* Hbn., Eur. Schmett. Bomb. f. 210, 211, 1804.
fuscus Haw., Lep. Brit. p. 141, 1809.
nebulosus Haw., l. c. p. 143.
obliquus F., Ent. Syst. 3, p. 6, 1794. — Coqueb.,
 Illustr. Icon. Ins. 1, t. 7, f. 6, 1779. —
serraticornis Gmel., Syst. Nat. 1, p. 2678, 1788.
 var. *dacicus* Caradja, Soc. Ent. 8, p. 44, 1893. —
 Deutsche Ent. Z. Iris, 8, p. 84, 1895. — Berge-
 Rebel l. c.
 Biologie: Schwarz, Raupen-Kal. 2, p. 125, 1791.
 — Newm., Trans. Ent. Soc. Lond. 5 (3. Ser.), p. IX
 (Proc.), 1865—67. — Entomologist 5, p. 460,
 1870—71. — Goossens, Ann. Soc. Ent. France
 5 (5. Ser.), p. CCXIII (Bull.), 1875. — Raspail,
 Mém. sur l. prem. états de l'Hépial. louverette,
 Paris, 1875, mit 1 Taf. — Mabilie, Ann. Soc.
 Ent. France 5 (5. Ser.), p. CCXIII (Bull.), 1875.
 — Noël, Bull. Soc. Rouen 28, p. 59, 1893. —
 Theob., Entomologist p. 194, 1896. — Entomolo-
 gist p. 162, 1897. — Hofm., Raup. Gr.-Schmett.
 Eur. p. 48, t. 14, f. 7, 1893. — Berge-Rebel,
 Schmetterl. p. 475, t. 52, f. 20 a, 1910.
macilentus Ev., Bull. Mosc. 2, p. 626, 1851.
 var. *Gerda* Stdgr. Deutsche Ent. Z. Iris 10, p. 328,
 1897.
Mlokossevitshi Rom., Mém. Lép. 1, p. 91, t. 4, f. 10,
 1884.
montanus Stretch, Zyg. Bomb. N.-Am. p. 105, t. 4, f. 7,
 1872. — Neumoeg. & Dyar, Journ. N. Y. Ent.
 Soc. 2, p. 170, 1894.
anceps H. Edw., Papil. 1, p. 36, 1881.
Baroni Behr., Canad. Entom. 8, p. 175, 1876.
desolatus Streck., Lep. p. 107, 1875.
rectus H. Edw., Papil. 1, p. 36, 1881.
mustelinus Pack., Proc. Ent. Soc. Phil. 3, p. 393, 1864. —
 Neumoeg. & Dyar, Journ. N. Y. Ent. Soc. 2,
 p. 168, 1894.
labradorensis Pack., Proc. Ent. Soc. Phil. 3,
 p. 394, 1864. — Möschl., Stett. Ent. Z. 31, p. 251,
 1870 (♀).
 Biologie: Pack., N. Y. Ent. Soc. 3, p. 70, 1895.
nebulosus Alph., Rom. Mém. Lép. 5, p. 85, 1889.
luteus Gr.-Grsch., Hor. Soc. Ent. Ross. 25, p. 46,
 1891.
varians Stdgr., Deutsche Ent. Z. Iris 8, p. 302, t. 5,
 f. 12, 1895 (♂). — ib. 9, p. 400, 1896.
nubifer Led., Verh. zool. bot. Ges. Wien 3, p. 362, t. 2, f. 1,
 1853.
ombroloma Low., Trans. R. Soc. S.-Austr. 26, p. 212,
 1902.
pallens Blanch., Gay, Faun. Chil. 8, p. 69, t. 4, f. 5,
 1852.
paropus Druce, Proc. Zool. Soc. Lond. p. 508, 1890.
pharus Druce, Biol. Centr. Am., Lep. Het. 1, p. 232, t. 24,
 f. 12, 1887.
pretiosus Herr.-Schäff., Aussereurop. Schmett. 1, p. 505,
 1856.
proposus Druce, Ann. Nat. Hist. 7, p. 436, 1901.

Rumänien,
 Dalmatien,
 Kaukasus

Sibirien,
 Mongolei
 Daurien

Armenien

Californien,
 Nevada

Nordatlan-
 tische
 Staaten

Thibet,
 China

Altai

Südaustralien

Chili

Sarayacu
 Costa-Rica,
 Guatemala
 Brasilien

Columbien

- *pyrenaicus* Donz., Ann. Soc. Ent. France 7, p. 429, t. 12, f. 1, 2, 1838. — Dup., Hist. Nat. Léop., Suppl. 4, p. 214, t. 68, f. 3 a, b, 1842. — Herr.-Schäff., Syst. Bearb. Eur. Schmett. 2, p. 7, Kupf. 2, t. 1, Hep., f. 1, 1845. — Bell. d. Chavign., Ann. Soc. Ent. France 8, (Ser. 4.), p. CVI (Bull.), 1868. — Oberth., Etud. d'Ent. 7, p. 12, t. 1, f. 14, 1883. — Rondou, Bull. Soc. Ramond, 3, p. 37, 1909. Ostpyrenäen
- pyrenaicus* Herr.-Schäff., Schmett. 2, p. 7, Hep. f. 1, 8, 1846.
- var. *alticola* Oberth., Ann. Soc. Ent. France 1, (6), p. 527, 1881. — Etud. d'Ent. 7, p. 11, t. 1, f. 13, 1883. Cauterets
- var. *castillanus* Oberth. l. c. p. 13, t. 1, f. 15, 1883. Castilien
- Biologie: Xamheu, Naturaliste p. 14, 1905.
- remotus* Pfitzner, Deutsche Ent. Z. Iris 18, p. 276, 1905—06. Südamerika (Peru)
- *rosatus* Pagenst., Jahrb. Nass. Ver. 41, p. 127, 1888. Amboina
- sequoiolus* Behrens, Can. Ent. 8, p. 174, 1876. — Neumoeg. & Dyar, Journ. N. Y. Ent. Soc. 2, p. 168, 1894. Californien
- mendocinulus* Behr., Can. Ent. 8, p. 174, 1876.
- Biologie: Williams, Ent. News. Phila. 16, p. 119 u. 283, 1905.
- Staudingeri* Wagner, nom. nov.
- antarcticus* Staud., Hamb. Magh. Sammlr. 4, p. 117, 1899 (nec *antarcticus* Wallengr.). Tierra del Fuego
- *sylvinus* L., Linné, Faun. Suec. p. 306, 1761. — Esp., Schmett. 4, p. 32, t. 82, f. 2—4, 1786. — Harr., Exp. of engl. Ins. t. 4, f. f (♂), t. 13, f. 6 (♀), 1778. Engram., Pap. d'Eur. 5, p. 78, t. 192, f. 249, a—g, 1779—83. — Brahm, Ins. Kal. p. 479, 1790. — Borkh., Naturg. Eur. Schmett. 3, p. 153, 1790. — Ochsenh., Schmett. Eur. 3, p. 109, 1810. — Godart, Hist. Nat. Léop. France 4, p. 43, t. 2, f. 1—5, 1824. — Steph., Ill. Brit. Ent. Haust., 2, p. 7, 1829. — Curtis, Brit. Ent. 4, t. 185, 1826. — Meigen, Syst. Besch. Eur. Schmett. 3, p. 56, t. 89, f. 4 a, b, 1829. — Herr.-Schäff., Syst. Bearb. Eur. Schmett. 2, p. 7, 1845. — Assmuss, Wien. Ent. Mon. 1, p. 137, 1857. — Walker, Cat. Lep. Het. Br. M. 7, p. 1554, 1856. — Heinemann, Schmett. Deutschl. & Schweiz, p. 175, 1859. — Snellen, Vlind. v. Neederl. p. 117, 1867. — Wallengr., Scand. Heteroc. Fjaril. p. 18, 1869 (*Alphus*). — Barr., Brit. Lep. 2, t. 64, f. 1, 1893. — Berge-Rebel, Schmetterl. p. 474, t. 52, f. 17 (♂), 1910.
- angulatum* F., Spec. Ins. 2, p. 506, 1781.
- angulum* Vill., Linn. Ent. 2, p. 193, 1789.
- cruz* F., Mant. Ins. 2, p. 135, 1787. — Rossi, Faun. Etr. Mant. 2, p. 21, 1794.
- fauna* Schrk., Fauna Boica, 2, p. 305, 1800.
- flina* Esp., Schmett. 4, p. 35, t. 82, f. 5, 1786.
- hamma* Hbn., Eur. Schmett. 4, Bomb. f. 207 u. 252, 1804.
- lupulina* Hbn., l. c. f. 205—06, 1804. — Haw., Lep. Brit., p. 140, 1803—28.

- ? var., Hormuzaki, Ent. Nachr. 20, p. 6, 1894.
 var. *laetus* Stdgr. Stett. Ent. Z. 28, p. 177, 1877. Armenien
 Rom., Hor. Soc. Ent. Ross., 14, p. 489, t. 3, f. 1,
 1878. — Rom., Mém. Lép. 1, p. 90, t. 5, f. 3 u. 4,
 1885. — Boh., Wien. Ent. Z. 5, p. 124, 1886.
pulchellus Heyne, Soc. Ent. 14, p. 98, 1900.
 ab. *pallidus* Horm., Ent. Nachr. 20, p. 7, 1894.
 — Berge-Rebel, Schmetterl. p. 475, 1910. —
 ab. *poecilus* Horm. l. c. — Berge-Rebel, l. c.
 Biologie: Snellen, Tijdschr. Ent. Ned. Ver. 1,
 p. 98, 1857. — Buckler, Entom. Monthl. Mag. 3,
 p. 136, 1866—67. — Purday, Entomologist 8,
 p. 225, 1875. — Hofm., Raupen Gr.-Schmett.
 Eur., p. 48, t. 14, f. 6, 1893. — Barret l. c. t. 268,
 f. 4, 1893. — Berge-Rebel, Schmetterl. p. 475,
 1910.
tegulatus Pagenst., Jahrb. Nass. Ver. 41, p. 127, 1888. Amboina
thermistis Lower, Trans. Roy. Soc. S.-Austr. 18, p. 77, Queensland
 1894.
umbrinus Moore, Descr. Ind. Lep. Atk. 1, p. 88, 1879. — Darjiling
uralensis Gr.-Grsch., Ann. Mus. St.-Petersbg. 4, p. 469, Ural
 1899.
variabilis Brem., Bull. Acad. St.-Petersbg. 3, p. 478, 1861. Amur,
 Lep. Ost-Sibir. p. 41, t. 3, f. 17, 1864. Ussuri
Varius Stdgr., Rom. Mém. Lép. 3, p. 194, t. 11, f. 6, 1887. Askold
 48

Sthenopsis Pack.

- Packard, Proc. Ent. Soc. Phil. 3, p. 390, 1864. — Neumoeg. & Dyar, Journ.
 N. Y. Ent. Soc. 2, p. 166, 1894. — Holland, Moth.-Book, p. 443, 1905.
argenteomaculatus Harr., Rept. Ins. Mass. p. 295, 1841. — Nordamerika
 Kell., Ins. Life p. 250, 1889. — Neumoeg. & Dyar,
 Journ. N. Y. Ent. Soc. 2, p. 166, 1894. — Heath,
 Canad. Ent. 28, p. 215, 1896. — Beutenmüller,
 Bull. Amer. Mus. Nat. Hist. 10, p. 447, t. 20,
 f. 3, 1898. — Holl. Moth Book, p. 443, t. 41,
 f. 14 (♂), 1905.
alni Kell. l. c.
argentata Pack., Proc. Ent. Soc. Phil. 3, p. 392,
 1864.
 var. *los* Strecker, Proc. Acad. Nat. Soc. Phil.
 p. 282, 1893.
 var. *perdita* Dyar, Canad. Ent. 25, p. 327, 1893.
 var. *purpurascens* Pack., Bost. Journ. Nat. Hist.
 7, p. 598, 1863. — Proc. Ent. Soc. Phil. 3, p. 392,
 1864. White
 Mount
auratus Grote, Can. Ent. 10, p. 18, 1878. — Neumoeg. & N.-York
 Dyar, Journ. N. Y. Ent. Soc. 2, p. 167, 1894. —
 Beutenmüller, Bull. Amer. Mus. Nat. Hist. 10,
 p. 448, 1898.
quadriguttatus Grote, Proc. Ent. Soc. Phil. 3, p. 73, t. 1, Nordamerika
 f. 6, 1864. — Streck., Proc. Acad. Nat. Soc.
 Phil. p. 283, 1893 — Neumoeg. & Dyar, Journ.
 N. Y. Ent. Soc. 2, p. 167, 1894. — Holl., Moth
 Book, p. 443, t. 41, f. 13 (♂), 1905.
semiauratus Neum. & Dyar, Canad. Ent. 25,
 p. 124, 1893. — Dyar, l. c. p. 327, 1893.

- thule** Strecker, Lep. Rhop. Het. p. 105, t. 12, f. 6, 1875. — Montreal
 Neumoeg. & Dyar, Journ. N. Y. Ent. Soc. 2,
 p. 167, 1894.
 Biologie: Lyman, Canad. Ent. 21, p. 297, 1893. —
 Swaine, Canad. Ent. 41, p. 337, t. 10, 1909.

4

Charagia Walk.

- Walker, Cat. Lep. Het. B. M. 7, 1569, 1856. — Scott, Trans. Ent. Soc.
 N.-S.-Wales 2, p. 25, 1873. — Swinhoe, Cat. East. & Austr. Lep., Het. 1,
 p. 288, 1892.
- Syn.: *Phloiopsyche* Scott, Austr. Lep. 2, t. 11, 1890.
Hepialus Meyrick, Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1127, 1890.
- argyrographa** Feld., Reise d. Novara, Lep. 4, t. 81, f. 2, Australien
 1874. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2),
 p. 1132, 1890. — Swinhoe, Cat. East. & Austr.
 Lep. Het. 1, p. 288, 1892.
- Blackburni** Lower, Trans. R. Soc. S.-Austr. 15, p. 5, 1892. Südaustral.
 — **daphnandri** Dodd, Entomologist p. 73, 1902. Australien
dulcis Swinhoe, East. & Austr. Lep. Het. 1, p. 288, 1892. Swan-River
eugyna Rothsch. & Jord., Deutsche Ent. Z. p. 198, 1907. Neuguinea
eximius Scott, Trans. Ent. Soc. N.-S.-Wales 2, p. 33, Westaustral.
 1873. — Austral. Lep. 2, p. 8, 1890. — Meyr.,
 Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1132, 1890.
 — Frogatt, Proc. Linn. Soc. N.-S.-Wales 9, (2),
 p. 382, 1894.
- Jordani** Pfitzner, Deutsche Ent. Z. Iris, 22 p. 138, 1909. Westaustral.
Lamberti Walk., Cat. Lep. Het. B. M. 7, p. 1571, 1856. — Neuholland
 Swinhoe, Cat. East. & Austr. Lep., Het. 1,
 p. 288, 1892.
- lignivora** Lewin, Prodr. Ent. 17, pl. 16, 1805. — Boisd., Queensland
 Voy. de l'Astrolabe 1, Lep. p. 234, 1832. — Dunc.,
 Nat. Libr. Exot. Moths p. 107, t. 8, f. 1—3,
 1841. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2),
 p. 1129, 1890. — Walker, Cat. Lep. Het. B. M. 7,
 p. 1570, 1856. — Scott, Trans. Ent. Soc. N.-S.-
 Wales 2, p. 29, 1869. — Swinhoe, Cat. East. &
 Austr. Lep. Het. 1, p. 288, 1892.
- Lewini** Walker, Cat. Lep. Het. B. M. 7, p. 1570,
 1856. — Scott, Trans. Ent. Soc. N.-S.-Wales 2,
 p. 30, 1869.
- marginatus** Rothsch., Nov. Zool. 3, p. 326, 1896. — Nov. Trobriand-
 Zool. 5, p. 219, 1898. Insel
- **mirabilis** Rothsch., Ann. Nat. Hist. 13, (6), p. 440, 1894. Queensland
pomalis Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 288, Queensland
 t. 8, f. 3, 1892.
- **Ramsayi** Scott, Trans. Ent. Soc. N.-S.-Wales 2, p. 32, N.-S.-Wales
 1873. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4,
 (2), p. 1131, 1890.
- **Scotti** Scott, Trans. Ent. Soc. N.-S.-Wales 2, p. 34, 1873. Richmond-
 — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), River
 p. 1131, 1890.
- scriptus** Scott, Trans. Ent. Soc. N.-S.-Wales 2, p. 33, Westaustral.
 1873. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2),
 p. 1132, 1890.

- sordida** Rothsch. & Jord., Nov. Zool. 12, p. 478, 1905. Neuguinea
splendens Scott, Austr. Lep. p. 6, t. 2, 1864. — Meyr., Sydney
 Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1130,
 1890. — Frogatt, Proc. Linn. Soc. N.-S.-Wales
 9, (2), p. 382, 1894.
- virescens** Duple, Dieffenb. Trad. New-Zeal. 1, p. 284, Neuseeland
 1843. — Walker, Cat. Lep. Het. B. M. 7, p. 1569,
 1856. — Scott, Trans. Ent. Soc. N.-S.-Wales 2,
 p. 29, 1873. — Butl., Voy. Ereb. & Terr. 2,
 Ins. p. 30, t. 9, f. 10, 1874. — Proc. Zool. Soc.
 Lond. p. 380, 1877. — Hoffm., Stett. Ent. Z. 46,
 p. 313, 1885. — Meyr., Trans. N.-Zeal. Inst. 22,
 p. 270, 1890. — Swinhoe, Cat. East. & Austr.
 Lep. Het. 1, p. 288, 1892. — Huds., N.-Zeal.
 Moths & Butterfl. Lond. p. 129, t. 13, f. 16, f. 17
 (Raupe), t. 3, f. 23 (Puppe), 1898. — Butl., Cat.
 Lep. N.-Zeal. p. 4, t. 2, f. 10, 1874.
- Fischeri** Feld., Reise d. Novara, Lep. 4, t. 80, f. 1,
 1874. — Hudson, N.-Zeal. Moths & Butterfl.
 p. 129, 1898.
- ab. **Hectori** Butl., Proc. Zool. Soc. Lond. p. 380, Neuseeland
 1877. — Swinhoe, Cat. East. & Austr. Lep. Het. 1,
 p. 289, 1892. — Huds., N.-Zeal. Moths & Butterfl.
 p. 129, 1898.
- Biologie: Gossett, Trans. N.-Zeal. Inst. 11,
 p. 347, 1879. — Howes & Smith, Entomologist
 31, p. 128, 1898. — Quail, Trans. Ent. Soc. Lond.
 p. 419, 1900. — Proc. Soc. Queensl. 15, p. 89,
 t. 1—8, 1900. — Entomologist 33, p. 8, 1900. —
 Trans. New-Zeal. Inst. 35, p. 249, 1903. —
 Philpott, Entomologist 39, p. 175, 1906.
- rubroviridans** White, Taylor, Te Ika i Maui t. 1, f. 1,
 1855 (♀). — Walker, Cat. Lep. Het. B. M. 7,
 p. 1570, 1856. — Swinhoe, Cat. East. & Austr.
 Lep. Het. 1, p. 288, 1892.

19

Dalaca Walk.

Walker, Cat. Lep. Het. B. M. 7, 1559, 1856.

- assa** Druce, Biol. Centr. Amer. Lep. Het. 1, p. 232, t. 24, Guatemala
 f. 10, 1887.
- basirubra** Schaus, N. Y. Ent. Soc. 9, p. 76, 1901. Peru
- cretata** Distant, Ann. Nat. Hist. 20, p. 211, 1897. Transvaal
- exclamans** Herr.-Schäff., Aussereurop. Schmett. 1, t. 31, Brasilien
 f. 145, 1855 (*Aepytus* Herr.-Sch.).
- exul** Herr.-Schäff., Aussereur. Schmett. 1, t. 10, f. 43, Afrika
 1855. — Walker, Cat. Lep. Het. B. M. 7, p. 1560,
 1856.
- libratus** Walker, l. c. p. 1561, 1856.
- fusca** Mab., Bull. Soc. Philom. 9, (7), p. 56, 1885. — Miss. Chili
 Sci. Cap. Horn, Zool 6, Lep. p. 8, t. 50, f. 6, 1888.
- hemileuca** Butl., Trans. Ent. Soc. Lond. p. 27, 1882. Chili
- ibex** Wallengr., Wien. ent. Mon. 4, p. 43, 1860. — Vct. Caffernland
 Akad. Handl. 5, (2), p. 90, 1865. — Öfers. Vet.
 Akad. Förh. 32, p. 95, 1875.

infuscata Hamp. S. A. G.*Africana* SE

- lucicola* Maass, Stübel, Reis. S.-Amer. Lep. p. 49, n. 6, p. 137, n. 81, t. 4, f. 16, 1890. Ecuador
marmorata Butl., Trans. Ent. Soc. Lond. p. 26, 1882. Chili
monticola Maass, Stübel, Reis. S.-Amer. Lep. p. 29, n. 5, p. 136, n. 80, t. 4, f. 14, 1890. Ecuador
mummea Schaus, Proc. Zool. Soc. Lond. p. 330, 1892. Brasilien
nomaqua Walker, Cat. Lep. Het. B. M. 7, p. 1560, 1856. Südafrika
oreas Schaus, Proc. Zool. Soc. Lond. p. 330, 1892. Brasilien
prytanes Schaus, l. c. p. 329, 1892. "
serta Schaus, l. c. p. 236, 1894. — Biol. Centr. Amer. Mexico
Lep. Het. 2, t. 89, f. 2, 1898.
Sladeni Hamp., Proc. Zool. Soc. Lond. p. 260, 1903. Matto Grosso
subfervens Butl., Trans. Ent. Soc. Lond. p. 25, 1882. Chili
terea Schaus, Proc. Zool. Soc. Lond. p. 330, 1892. — Biol. Mexico
Centr. Amer. Lep. Het. 2, t. 89, f. 3, 1898.
tesselloides Schaus, N. Y. Ent. Soc. 9, p. 76, 1901. Paraguay
venosa Blanch., Gay, Faun. Chil. 7, p. 70, t. 4, f. 6, 1852. Chili
— Berg., Ann. Soc. Argent. 13, p. 219, 1882.
nigricornis Walker, Cat. Lep. Het. B. M. 7, p. 1560, 1856.
violacea Butl., Trans. Ent. Soc. Lond. p. 26, 1882. Chili
22

Oncopera Walk.

- Walker, Cat. Lep. Het. B. M. 7, p. 1558, 1856. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 287, 1892.
Syn.: *Oncoptera* Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1124, 1890.
— *intricata* Walker, Cat. Lep. Het. B. M. 7, p. 1559, 1856. Van Diemens
— Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), Land,
p. 1124, 1890. — Swinhoe, Cat. East. & Austr. New-
Lep. Het. 1, p. 287, 1892. Holland,
Swan-
River

1

Philaenia Kirby.

- Kirby, Cat. Lep. Het. p. 885, 1892.
Syn.: *Pharmacis* Möschl., Verh. zool. bot. Ges. Wien 27, p. 670, 1877;
lagopus Möschl., l. c. p. 670, t. 9, f. 34. Surinam
1

Trictena Meyr.

- Meyrik, Proc. Linn. Soc. N.-S.-Wal., 4, (2. Ser.) p. 1135, 1890.
aphengès Turner, Trans. R. Soc. S.-Austr. 28, p. 247, N.-S.-Wales
1904.
diversata Lucas, Proc. Soc. Quecns. 13, p. 62, 1898. Australien
— *labyrinthicus* Don., Epit. Ins. New Holl. t. 38, f. 1, 1805. Australien
— Boisdu., Voy. de l'Astrol. 1, Lep. p. 236, 1832.
— Walker, Cat. Lep. Het. B. M. 7, p. 1577, 1856.
— Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1135, 1890 (*Trictena*). — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 289, 1892.

- argenteus* Don., Epit. Ins. New-Holl. t. 38, f. 2, 1805 (*Cossus*). — Boisd., Voy. de l'Astrol. 1, Lep. p. 237, 1832.
argentatus Herr.-Schäff., Aussereur. Schmett. 1, t. 41, f. 47, 48, 1853 (*Epiolus*).
atripalpus Walker, Cat. Lep. Het. B. M. 7, p. 1577, 1856.
hydrographus Feld., Reise d. Novara, Lep. 4, t. 80, f. 3, 1874. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 289, 1892. Adelaide, Swan-River
magnifica Luc., Proc. Soc. Queensl. 13, p. 61, 1898. Australien
5

Pielus Walk.

- Walker, Cat. Lep. Het. B. M. 7, p. 1576, 1856. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1133, 1890. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 289, 1892.
albofasciatus Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 289, 1892. Swan-River
hyalinatus Herr.-Schäff., Aussereur. Schmett. 1, f. 50, 1853. — Walker, Cat. Lep. Het. B. M. 7, p. 1576, 1856. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1134, 1890. N.-Seeland Tasmanien
imperialis Oll., Proc. Linn. Soc. N.-S.-Wales 2, (2), p. 1015, t. 39, 1888. N.-S.-Wales
Swainsoni Scott, Austral. Lep. 2, p. 11, t. 4, 1864. — Walker, Cat. Lep. Het. B. M. 35, p. 1951, 1866. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 290, 1892. Queensland
tasmaniae Walker, Cat. Lep. Het. B. M. 7, p. 1577, 1856. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 289, 1892.
ingens Walker, Cat. Lep. Het. B. M. 32, p. 596, 1865. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1134, 1890. — Butler, Cat. Lep. N.-Zeal. p. 5, 1874. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 290, 1892. Australien
erythrinus Walker, Cat. Lep. Het. B. M. 32, p. 599, 1865.
3

Leto Hbn.

- Hübner, Verz. bek. Schmett. p. 197, 1822. — Walker, Cat. Lep. Het. B. M. 7, p. 1571, 1856.
Venus Stoll, Papilio Exot. 3, t. 286, C, D, 1780. Südafrika
vitiensis Rothsch., Nov. Zool. 2, p. 482, 1895. Fidjiinseln
2

Porina Walk.

- Walker, Cat. Lep. Het. B. M. 7, p. 1572, 1856; 32, p. 597, 1865. — Meyrik, Proc. Linn. Soc. N.-S.-Wal. 4, (2), p. 1119, 1890. — Trans. N.-Zeal. Inst.

- 22, p. 206, 1890. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 287, 1892.
 — Hudson, N.-Zeal. Moths & Butterfl. 1898. — Butler, Catal. Lep. N.-Zeal.
 p. 5, 1874.
- annulata** Hamilt., Trans. N.-Zeal. Inst. 41, p. 48, 1909. Queenstown
antipoda Herr.-Schäff., Aussereur. Schmett. 1, t. 10, N.-Seeland
 f. 44, 1855 (*Hepialus*).
- determinata** Walker, Cat. Lep. Het. Br. M. 7, p. 1563, Südaustralien
 1856. (*Elhamma*). — Meyr., Proc. Linn. Soc.
 N.-S.-Wal. 4, (2. Ser.), p. 1122, 1890. — Swinhoe,
 Cat. East. & Austr. Lep. Het. 1, p. 287, 1892.
- dirempta** Walker, Cat. Lep. Het. B. M. 32, p. 597, 1865. Südaustralien
 — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2),
 p. 1121, 1890. — Swinhoe, Cat. East. & Austr.
 Lep. Het. 1, p. 287, 1892.
- Kershawi** Lucas, Proc. Linn. Soc. N.-S.-Wales 6, (2), Australien
 p. 282, 1892.
- minos** Hudson, Trans. N.-Zeal. Inst. 37, p. 357, t. 22, N.-Seeland
 f. 5, 1905.
- salmonacea** Rothsch. & Jord., Nov. Zool. 12, p. 578, Neuguinea
 1905.
- senex** Huds., Trans. N.-Zeal. Inst. 40, p. 104, 1908. N.-Seeland
- signata** Walker, Cat. Lep. Het. B. M. 7, p. 1563, 1856. N.-Seeland
 (*Elhamma*), Butler, Voy. Ereb. & Terror, 2 p. 31,
 t. 9, f. 8, 1874. — Meyr., Trans. N.-Zeal. Inst. 22,
 p. 210, 1890. — Swinhoe, Cat. East. & Austr.
 Lep. Het. 1, p. 287, 1892. — Huds., N.-Zeal.
 Moths & Butterfl. Lond. p. 134, t. 13, f. 15,
 1898. — Butl., Cat. Lep. N.-Zeal. p. 5, t. 2,
 f. 8, 1874.
- novaezealandiae* Walker, Cat. Lep. Het. B. M. 7,
 p. 1573, 1856.
- variolaris* Guér., Ent. M. Mag. 5, p. 1, 1868.
 (*Pielus*).
 Biologie: Huds., N.-Zeal. Moths & Butterfl.
 p. 134, t. 3, f. 6, 1898.
- vexata** Walker, Cat. Lep. Het. Br. M. 32, p. 597, 1865. —
 Butl., Cat. Lep. N.-Zeal. p. 5, 1874.

10

Perissectis Meyr.

- Meyrik, Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1119, 1890. — Swinhoe, Cat.
 East & Austr. Lep. Het. 1, p. 290, 1892.
- Elhamma* Walker, Cat. Lep. Het. B. M. 7, p. 1561, 1856. — Swinhoe,
 Cat. East & Austr. Lep. Het. 1, p. 287, 1892.
- australasiae** Walker, Cat. Lep. Het. B. M. 7, p. 1558, Sydney,
 1856. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, Tasmania
 (2), p. 1119, 1890. — Swinhoe, Cat. East. & Austr.
 Lep. Het. 1, p. 290, 1892.
- inconclusa** Walker, Cat. Lep. Het. B. M. 7, Sydney
 p. 1562, 1856. — Meyr., Proc. Linn. Soc. N.-S.-
 Wales 4, (2), p. 1119, 1890 (*Perissectis*). — Swin-
 hoe, Cat. East. & Austr. Lep. Het. 1, p. 287,
 1892.
- invarius** Walker, Cat. Lep. Het. B. M. 32, p. 599,
 1865.

1

Hectomanes Meyr.

- [Meyrik, Proc. Linn. Soc. N.-S.-Wales 4, (2. Ser.), p. 1125, 1890.
Fraus Walker, Cat. Lep. Het. B. M. 7, p. 1564, 1856; 32 p. 595, 1865.
 — Swinh. Cat. East. & Austr. Lep. Het. 1, p. 287, 1892. — (Nom. praecoc.)
- crocea* Lucas, Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 283, 1890. Australien
- fusca* Lucas, l. c.
- nanus* Herr.-Schäff., Aussereur. Schmett. 1, t. 10, f. 46, 1855. Patria?
- noserodes* Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1126, 1890. Sydney
- polyspila* Meyr. l. c. p. 1127, 1890. Victoria
- pteromela* Lower, Trans. R. Soc. S.-Austr. 15, p. 5, 1891. Südastralien
- simulans* Walker, Cat. Lep. Het. B. M. 7, p. 1564, 1856. — Tasmanien,
 Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1126, Van Die-
 1890. — Swinhoe, Cat. East. & Austral. Lep. Het. mens Land
 1, p. 287, 1892.
- bilineata* Walker, Cat. Lep. Het. B. M. 32, p. 595, 1865. Adelaide

7

Phassus Walk.

- Walker, Cat. Lep. Het. B. M. 7, p. 1566, 1856. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 290, 1892. — Hamps., Moths of India 1, p. 317, 1892.
- Aboë* Moore, Cat. Lep. Mus. E. J. C. 2, p. 437, 1859. — Darjiling
 Butl., Ill. Lep. Het. B. M. 6, (2), p. 30, t. 109, f. 1, 1886. — Hamps., Moths of India, 1, p. 318, 1892.
- salsettensis* Moore, Proc. Zool. Soc. Lond. p. 412, t. 34, f. 5, 1879. — Hamps., Moths of India 1, p. 318, 1892.
- absyrtus* Schaus, Proc. Zool. Soc. Lond. p. 330, 1892. Brasilien
- agrionides* Walker, Cat. Lep. Het. B. M. 7, p. 1567, 1856.
- albofasciatus* Moore, Proc. Zool. Soc. Lond. p. 413, t. 34, f. 8, 1879. — Hampson, Ill. Typ. Lep. Het. B. M. 8, (2), p. 288, 1891. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 291, 1892. — Hampson, Moths of India 1, p. 321, 1892. — Nilgiri Hills
- argentiferus* Walker, Cat. Lep. Het. B. M. 7, p. 1566, 1856. — Hamps., Ill. Typ. Lep. Het. B. M. 8, (2), p. 67, 1891. Mexico
- auratus* Hamps., Moths of India 1, p. 311, 1892. Indien
- Basirei* Schaus, Entom. Amer. 6, p. 46, 1890. Mexico
- camphorae* Sasaki, Tokyo Nip. Konch. Kw. Ho. 2, p. 81, 1908. Japan
- Championi* Druce, Biol. Centr. Amer. Lep. Het. 1, p. 233, t. 24, f. 11, 1887. Guatemala
- costaricensis* Druce l. c. p. 234, t. 24, f. 4, 1887. Costa-Rica
- damor* Moore, Cat. Lep. E. J. C. 2, p. 437, 1859. — Bulter, Ill. Typ. Lep. Het. B. M. 6, p. 31, t. 109, f. 3, 1886. Darjiling
 (Phassus). — Swinhoe Cat. East. & Austr. Lep. Het. 1, p. 291, 1892. — Hamps., Moths of India 1, p. 319, 1892.
- similis* Feld., Reise d. Novara, Lep. 4, t. 81, f. 3, 1874 (*Endoclyta*). — Hamps. Moths of India 1, p. 318, 1892. Himalaya

- eldorado** Pfitzner, Deutsche Ent. Z. Iris 18, p. 276, 1905—06. Südamerika
- excrescens** Butl., Ann. Nat. Hist. 20, (4), p. 482, 1877. — Japan, Amur
 Ill. Typ. Lep. Het. B. M. 2, p. 20, t. 27, f. 7, 1878.
 — Leech, Proc. Zool. Soc. Lond. p. 645, 1888. —
 Stdgr., Rom. Mém. Lép. 6, p. 289, 1892.
- aemulus** Butl., Ann. Nat. Hist. 20, (4), p. 482, 1877.
 — Ill. Typ. Lep. Het. B. M. 2, p. 20, t. 27, f. 8, 1878.
- giganteus** Herr.-Schäff., Aussereur. Schmett. 1, f. 45, 1853. Südamerika
Hayeki Foetterle, Rev. Mus. Paulista 5, p. 649, t. 17, f. 1, Brasilien
 1903.
- malabaricus** Moore, Proc. Zool. Soc. Lond. p. 412, 1879. — Malabar
 Hamps., Moths of India 1, p. 321, 1892.
- marcius** Druce, Ann. Nat. Hist. 9, (6), p. 278, 1892. Mexico
- marginenotatus** Leech, Trans. Ent. Soc. Lond. p. 356, China
 1898.
- metellus** Druce, Proc. Zool. Soc. Lond. p. 509, t. 43, f. 2, Sarayaku
 1890.
- momus** Druce, l. c. p. 508, t. 43, f. 3.
- n** — **signatus** Weymer, Deutsche Ent. Z. Iris 20, p. 37, Guatemala
 1907.
- papuana** Oberth. Etud. d'Entom. 19, p. 31, t. 5 f. 21, 1894. Neu-Guinea
 (*Tricladia*.)
- phalerus** Druce, Biol. Centr. Amer., Lep. Het. 1, p. 233, Mexico
 t. 24, f. 8, 1887.
- punctimargo** Swinhoe, Cat. East. & Austr. Lep. Het. 1, Sikkim
 p. 291, (Octob.) 1892. — Hamps., Moths of India 1,
 p. 319, (27. Nov.) 1892.
- purpurescens** Moore, Lep. Ceylon 2, p. 156, t. 143, f. 4, Ceylon
 1882. — Swinhoe, Cat. East. & Austr. Lep. Het.
 1, p. 291, 1892. — Hamps. Moths of India 1,
 p. 319, 1892.
- Biologie: Green, Entomologist p. 290, 1898.
- regius** Stdgr., Deutsche Ent. Z. Iris 8, p. 301, t. 5, f. 11, Amdo
 1895 (♀).
- rosulentus** Weymer, Deutsche Ent. Z. Iris 20, p. 35, 1907. Mexico
- Schamyli** Christ., Hor. Soc. Ent. Ross. 22, p. 309, 1888. — Kaukasus
 Roman., Mém. Lép. 5, p. 198, t. 10, f. 1, a, b,
 1889.
- Biologie: Deegen & Schaposchnikoff, Zeitschr.
 wissensch. Zool. 78, p. 245, t. 14, 1904.
- sericeus** Swinhoe, Ann. Nat. Hist. 7, p. 469, 1901. Java
- signifer** Walker, Cat. Lep. Het. B. M. 7, p. 1568, 1856. — Ostindien,
 Butl., Ill. Typ. Lep. Het. B. M. 6, p. 30, t. 109, Ceylon,
 f. 2, 1886. — Leech, Proc. Zool. Soc. Lond. p. 646, Borneo
 1888. — Swinhoe, Cat. East. & Austr. Lep. Het.
 1, p. 290, 1892. — Hamps., Moths of India 1, p. 320
 1892.
- chalybeatus** Moore, Proc. Zool. Soc. Lond. p. 412, Darjiling
 1879.
- Herzi** Fixs., Rom. Mém. Lép. 3, p. 335, t. 15, f. 3, Korea
 1887.
- sinensis** Moore, Ann. Nat. Hist. 20, (4), p. 94, Shanghai
 1877.
- undulifer** Walker, Char. Lep. Het. p. 102, 1869. Benares
- Suithi** Druce, Ann. Nat. Hist. 4, (6), p. 92, 1889. — Mexico
 Centr. Amer. Lep. Het. 2, p. 451, t. 39, f. 5, 1898.

- tessellatus** Herr.-Schäff., Aussercucup. Schmett. f. 147, 1854. — Walker, Cat. Lep. Het. B. M. 7, p. 1568, 1856. Natal
- transversus** Walker, Cat. Lep. Het. B. M. 7, p. 1567, 1856. Brasilien
- triangularis** H. Edw., Ent. Amer. 1, p. 129, 1885. — Druce, Biol. Centr. Amer. Lep. Het. 2, p. 451, t. 89, f. 1, 1898. Mexico
- Biologie: Schaus, Ent. Amer. 4, p. 65, 1888. — Barrett, Canad. Entom. 32, p. 235, 1900.
- trojesa** Schaus, Journ. N. Y. Ent. Soc. 9, p. 76, 1901. Mexico
- umbrifera** Feld., Reise d. Novara, Lep. 4, t. 80, f. 2, 1874. Brasilien
(*Tricladia*).
- viridis** Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 291. Nilgiri Hills
(Oct.) 1892. — Hamps. Moths of India 1, p. 321, (27. Nov.) 1892.

37

Phassodes Beth.-Bak.

Bethune-Baker, Proc. Zool. Soc. Lond. p. 59, 1905.

- bimorpha** Beth.-Bak. l. c. p. 91, t. 9, f. 4, 1905. Fidji-Inseln
- Guthrei** Beth.-Bak. l. c. p. 90, t. 9, f. 3. " "
- nausori** Beth.-Bak. l. c. p. 91. " "
- odorevalvula** Beth.-Bak. l. c. p. 90, t. 9, f. 1 u. 2. " "
- rewaensis** Beth.-Bak. l. c. p. 91, t. 9, f. 5. " "
- ritensis** Beth.-Bak. l. c. p. 92, t. 9, f. 6. " "

6

Hepialiscus Hamps.

Hampson, Moths of India 1, p. 317, 1892.

- algeriensis** Joann., Bull. Soc. Ent. France p. 223, 1903. — Philippeville
Oberth., Lépid. comp. 3, p. 411, t. 25, f. 131, 1909.
- ab. *Joannis* Luc., Ann. Soc. Ent. France 70, Algier
p. 53, t. 5, f. 1, 1905.
- nepalensis** Walker, Cat. Lep. Het. B. M. 7, p. 1557, 1856. Nepal
— Moore, Cat. Lep. Mus. E. J. C. 2, p. 438, 1859.
— Proc., Zool. Soc. Lond. p. 686, 1867. — Hamps.
Moths of India 1, p. 317, 1892.
- indicus** Walker, Cat. Lep. Het. B. M. 7, p. 1558, Indien
1856. (Darjiling)
- marcidus** Butl., Ann. Nat. Hist. 6, (5), p. 69, 1880. —
Ill. Lep. Het. B. M. 6, p. 29, t. 108, f. 4, 5, 1886.
— Hamps., Moths of India 1, p. 317, 1892.
- pauperatus** Walker, Cat. Lep. Het. B. M. 32,
p. 593, 1865. — Butl., Ill. Lep. Het. B. M. 6, p. 30,
t. 108, f. 6, 7, 1886. — Hamps., Moths of India
1, p. 317, 1892.

2

Philanglaus Butl.

Butler, Trans. Ent. Soc. Lond. p. 28, 1882.

- ornatus** Butl. l. c. Chili
!

2*

Palpifer Hamps.

Hampson, Moths of India 1, p. 316, 1892.

- minutus* Hamps., Moths of India 4, p. 174, 1896. Indien
pellicia Swinhoe, Ann. Nat. Hist. 15, p. 152, 1905. Khasia Hills
sexnotatus Moore, Proc. Zool. Soc. Lond. p. 413, 1879. — Darjiling
 Hamps., Moths of India 1, p. 317, 1892.
murinus Moore, Proc. Zool. Soc. Lond. p. 413, 1879. — Hamps., Moths of India 2, p. 317, 1893.
taprobanus Moore, Lep. Ceyl. 3, p. 545, t. 212, Ceylon
 f. 6, 1887, — Hamps., Moths of India 1, p. 317, 1892.
sordidus Snellen, Tijdschr. f. Ent. 43, p. 30, 1900. Java
tavoyanus Moore, Journ. As. Soc. Beng. 55, p. 98, 1886. — Tavoy
 Hamps., Moths of India 1, p. 317, 1892.

5

Gorgopis Hbn.

Hübner, Verz. bek. Schmett., p. 198, 1822. — Walker, Cat. Lep. Het. B. M. 7, p. 1565, 1856.

- Abbotti* Holl., Entomologist 25, Suppl. p. 94, 1892. — Ostafrika
 Proc. U. St. Mus. 18, p. 253, t. 7, f. 9, 1896.
Bacotii Quail, Trans. Ent. Soc. Lond. p. 421, t. 5, f. 1, Südafrika
 1900.
Butleri Dew., Verh. Leop. Karol. Acad. 42, p. 64, t. 3, Cape
 f. 25, 1881.
 — *caffra* Walker, Cat. Lep. Het. B. M. 7, p. 1565, 1856. Südafrika
cervinus Wallengr., Wien. Ent. Mon. 4, p. 43, 1860.
 — Vet. Akad. Handl. 5, (2), p. 91, 1865.
 — *libania* Stoll, Papil. Exot. 4, t. 356, F, 1782. — Walker, Südafrika
 Cat. Lep. Het. B. M. 7, p. 1565, 1856.
niphonica Butl., Ann. Nat. Hist. 4, (5), p. 357, 1879. Japan
villis Walker, Cat. Lep. Het. B. M. 32, p. 596, 1865. Indien
 — *Zelleri* Dew., Verh. Leop. Karol. Acad. 42, p. 64, t. 3, f. 22, Cape
 1881.

8

Zelotypia Scott.

Scott, Trans. Ent. Soc. N.-S.-Wales 2, p. 37, 1869. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 292, 1892.

- Stacyi* Scott, Trans. Ent. Soc. N.-S.-Wales 2, p. 38, 1869. N.-S.-Wales
 — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2),
 p. 1133, 1890 (*Leto*). — Olliff, Proc. Linn. Soc.
 N.-S.-Wales 2, (2), p. 467, 1888. — Swinhoe, Cat.
 East. & Austr. Lep. Het. 1, p. 292, 1892. — Fro-
 gatt, Proc. Linn. Soc. N.-S.-Wales 9, (2), p. 379,
 1894. — Skuse, Rec. Austr. Mus. 2, p. 91, t. 22,
 1895.
 var. *sinuosa* Olliff, Proc. Linn. Soc. N.-S.-Wales New-Castle
 2, (2), p. 459, 1888.

1

Osrhoes Druce.

Druce, Ann. Nat. Hist. 5, p. 514, 1900.

coronata Druce, l. c.

Columbien

1

Oxycanus Walk.

Walker, Cat. Lep. Het. B. M. 7, p. 1573, 1856. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 286, 1892.

australis Walker, Cat. Lep. Het. B. M. 7, p. 1574, 1856. — Australien,
Meyrik, Proc. Linn. Soc. N.-S.-Wales 4, (2), Tasmanien
p. 1121, 1890. — (*Porina*.) Swinhoe, Cat. East. &
Austr. Lep. Het. 1, p. 286, 1892.
maculosus Feld., Reise d. Novara, Lep. 4, t. 81,
f. 1, 1874.

cervinata Walker, Cat. Lep. Het. B. M. 32, p. 595, 1865. Neu-Seeland
— Butl., Proc. Zool. Soc. Lond. p. 381, 1877.
(*Porina*.) — Meyr., Trans. N.-Zeal. Inst. 22,
p. 208, 1890 (*Porina*). — Swinhoe, Cat. East. &
Austr. Lep. Het. 1, p. 286, 1892 (*Oxycanus*). —
Huds., N. Zeal. Moths & Butterfl., Lond. p. 133,
t. 13, f. 12 u. 18, 1898. — Butl., Cat. Lep. N.-Zeal.
p. 5, 1874. —
fuliginea Butl., Cist. Ent. 2, p. 488, 1879. — Huds., Neuseeland
N.-Zeal. Moths & Butterfl., Lond. p. 133, 1898.
Biologie: Quail, Trans. Ent. Soc. Lond. p. 411,
1900.

charactifer Walker, Cat. Lep. Het. B. M. 32, p. 594, 1865. „
— Meyr., Trans. N.-Zeal. Inst. 22, p. 208, 1890.
— Huds., New-Zeal. Moths & Butterfl., Lond.
p. 133, t. 13, f. 11, 1898. — Butl., Cat. Lep.
N.-Zeal. p. 5, 1874.

impletus Walker, Cat. Lep. Het. B. M. 32, p. 598,
1865. — Huds., N.-Zeal. Moths & Butterfl., Lond.
p. 129, 1898.

despectus Walker, Cat. Lep. Het. B. M. 32, p. 594, 1865. Neuseeland
— Meyr., Trans. N.-Zeal. Inst. 22, p. 209, 1890.
— Huds., N.-Zeal. Moths & Butterfl., Lond.
p. 134, t. 13, f. 13, 1898. — Butl., Cat. Lep.
N.-Zeal. p. 5, 1874.

dinodes Meyr., Trans. N.-Zeal. Inst. 22, p. 206, 1890. — Neuseeland
Huds., N.-Zeal. Moths & Butterfl., Lond. p. 132,
t. 13, f. 8, 1898.

Enysii Butl., Proc. Zool. Soc. Lond. p. 381, t. 42, f. 7, Neuseeland
1877. — Meyr., Trans. N.-Zeal. Inst. 22, p. 207
1890. — Huds., N.-Zeal. Moths & Butterfl., Lond.
p. 133, t. 13, f. 9, 10, 1898.

fasciculatus Walker, Char. Lep. Het. p. 68, 1869.

fuseomaculatus Walker, Cat. Lep. Het. B. M. 7, p. 1574, Australien
1856. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, Tasmanien
(2), p. 1120, 1890. — (*Porina*.) — Swinhoe, Cat.
East. & Austr. Lep. Het. 1, p. 286, 1892. — Lidget,
Transf. of Austr. Lep. p. 13, 1893.

pardalinus Walker, Cat. Lep. Het. B. M. 32, Südaustralien
p. 598, 1865.

luteicornis Berg., Ann. Soc. Argent. 13, p. 218, 1882. Patagonien

- Mairi** Butl., Trans. N.-Zeal. Inst. 5, p. 279, 1873. — Meyr., Trans. N.-Zeal. Inst. 22, p. 207, 1890. — Huds. N.-Zeal. Moths & Butterfl., Lond. p. 132, 1898. — Butl., Cat. Lep. N.-Zeal. p. 5, 1874. Neuseeland
- niphadias** Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1122, 1890. Südaustralien
- sordidus** Herr.-Schäff., Aussereur. Schmett. 1, p. 49, 1853. Australien?
- sphragidias** Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1123, 1890. Tasmanien
- subvarius** Walker, Cat. Lep. Het. B. M. 7, p. 1562, 1856. Tasmanien
— Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1123, 1890.
- rufescens** Walker, Cat. Lep. Het. B. M. 7, p. 1575, 1856. — Meyr., Proc. Linn. Soc. N.-S.-Wales 4, (2), p. 1122, 1890 (*Porina*). — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 286, 1892. Neuseeland
- umbraculata** Guér., Ent. M. Mag. 5, p. 1, 1868. — Meyr., Trans. New-Zeal. Inst. 22, p. 209, 1890. — Swinhoe, Cat. East. & Austr. Lep. Het. 1, p. 287 1892. — Huds., N.-Zeal. Moths & Butterfl., Lond. p. 134, t. 13, f. 14, 1898. — Butl., Cat. Lep. N.-Zeal. p. 5, 1874. Neuseeland
- Biologie: Quail, Trans. Ent. Soc. Lond. p. 411—419, 1900.

15

Casana Walk.

Walker, Cat. Lep. Het. B. M. 32, p. 591, 1865.

- trichiloides** Walker, l. c. — Swinhoe, Cat. East & Austr. Lep. Het. 1, p. 287, t. 8, f. 10, 1892. Aru-Ins.

1

Callipielus Butl.

Butler, Trans. Ent. Soc. Lond. p. 23, 1882.

- arenosus** Butl., l. c. p. 24, t. 1, f. 6, 1882. Valdivia

1

200

Index.

Genera.

Aepytus Herr.-Schäff., 4, 13
Alphus Wallengr., 4

Callipielus Butl., 22
Casana Walk., 22
Charagia Walk., 12

Dalaca Walk., 13

Elhamma Walk., 16
Epiolus Led., 3

Fraus Walk., 17

Gazoryctra Hbn., 3
Gorgopis Hbn., 20
Hectomanes Meyr., 17
Hepialiscus Hamps., 19
Hepialus F., 3
Hepialus Meyr., 12
Hepiolus Ill., 3

Leto Hbn., 15

Oncopera Walk., 14
Oncoptera Meyr., 14
Osrhoes Druce, 21
Oxycanus Walk., 21

Palpifer Hamps., 20
Perissectis Meyr., 16
Pharmacis Hbn., 4
Pharmacis Möschl., 14
Phassodes Beth.-Bak., 19
Phassus Walk., 17
Philaenia Kirby, 14
Philanglaus Butl., 19
Phloiopsyche Scott, 12
Phymatopus Wallengr., 4
Pielus Walk., 15
Porina Walk., 15

Sthenopis Pack., 11

Trictena Meyr., 14
Triodia Hbn., 4
Zelotypia Scott, 20.

Species, Subspecies, Varietates.

Abbottii Holl., 20
Aboë Moore, 17
absyrtus Schaus, 17
aemulus Butl., 18
agrionides Walk., 17
albofasciatus Moore (Phassus), 17
albofasciatus Swinh. (Pielus), 15
algeriensis Joann., 19
alni Kell., 11
alticola Oberth., 10
amasinus Herr.-Schäff., 4
ammon Wallengr., 4
anceps Edw., 9
angulatum F., 10

angulum Haw., 8
angulum Vill., 10
annulata Hamilt., 16
antarcticus Wallengr., 4
antarcticus Stdgr., 10
antipoda Herr.-Schäff., 16
aphenges Turn., 14
arcticus Boh., 5
arenosus Butl., 22
argentata Pack., 11
argentatus Herr.-Schäff., 15
argenteomaculatus Harr., 11
argenticus Don., 15
argentiferus Walk., 17

argyroglypha Feld., 12
 armoricanus Oberth., 4
 askoldensis Stdgr., 5
 assa Druce, 13
 atripalpus Walk., 15
 auratus Grote, 11
 auratus Hamps., 17
 aurifaber Feld., 4
 australasiae Walk., 16
 australis Walk., 21

Bacotii Quail, 20
 Baroni Behr., 9
 Basirei Schaus, 17
 basirubra Schaus, 13
 Behrensi Stretch, 4
 bilineata Walk., 17
 bimorpha Beth.-Bak., 19
 Blackburni Low., 12
 Butleri Dew., 20

caffra Walk., 20
 californicus Boisd., 4
 camphorae Sasaki, 17
 carna Esp., 4
 carnus F., 4
 castillanus Oberth., 10
 cervinata Walk., 21
 cervinus Wallengr., 20
 chalybeatus Moore, 18
 Championi Druce, 17
 characterifer Walk., 21
 confusus Edw., 8
 cora Schrank, 8
 coronata Druce, 21
 costaricensis Druce, 17
 cretata Dist., 13
 crocea Luc., 17
 cruz F., 10
 cyanochlora Low., 4

dacicus Caradj., 9
 damor Moore, 17
 daphnandrae Luc., 4
 daphnandri Dodd, 12
 Davidi Pouj., 4
 decorata Krul., 6
 desolatus Streck., 9
 despectus Walk., 21
 determinata Walk., 16
 dimidiatus Berg., 4
 dinodes Meyr., 21
 dirempta Walk., 16
 diversata Luc., 14
 dulcis Swinh., 12

eldorado Pfitzn., 18
 Enysii Butl., 21

epigramma Herr.-Schäff., 4
 erythrinus Walk., 15
 eugyna Rothsch., 12
 exclamans Herr.-Schäff., 13
 excrescens Butl., 18
 eximius Scott, 12
 exul Herr.-Schäff., 13

fasciculatus Walk., 21
 fauna Schrank, 10
 Fischeri Feld., 13
 flina Hbn., 6
 flina Hbn., 9
 flina Esp., 10
 fuliginea Butl., 21
 furcatus Grote, 5
 fusca Mab., 13
 fusca Luc., 17
 fuscomaculatus Walk., 21
 fusconebulosa De Geer, 5
 fuscus Haw., 9

gallicus Led., 5
 ganna Hbn., 5
 Gerda Stdgr., 9
 giganteus Herr.-Schäff., 18
 gracilis Grote, 5
 Guthrei Beth.-Bak., 19

hamma Hbn., 10
 Hayeki Foett., 18
 hecta L., 6
 hectoides Boisd., 6
 Hectori Butl., 13
 hectus L., 6
 hemileuca Butl., 13
 Herzi Fixs., 18
 hethlandicus Stdgr., 7
 hilaris Lucas, 7
 humuli L., 7
 hyalinatus Herr.-Schäff., 15
 hydrographus Feld., 15
 hyperboreus Möschl., 8

ibex Wallengr., 13
 imperialis Oll., 15
 impletus Walk., 21
 inconclusa Walk., 16
 indicus Walk., 19
 ingeus Walk., 15
 intricata Walk., 14
 inutilis Edw., 6
 invarius Walk., 16

Joannisi Luc., 19
 jodutta Hbn., 4
 jodutta Esp., 6
 Jordani Pfitzn., 12

keniae Holl., 8
Kershawi Luc., 16

labradorensis Pack., 9
labyrinthicus Don., 14
lactus Stdgr., 11
lagopus Möschl., 14
Lamberti Walk., 12
Lemberti Dyar, 8
Lenzi Behr., 6
Lewinii Walk., 12
libania Stoll, 20
libratus Walk., 13
lignivora Lew., 12
los Streck., 11
lucicola Maass, 14
lupulina Esp., 8
lupulina Hbn., 10
lupulinus L., 8
luteicornis Berg., 21
luteus Gr.-Gr., 9

maeilentus Ev., 9
maculosus Feld., 21
magnifica Luc., 15
Mairi Butl., 22
malabaricus Moore, 18
mappa Douay, 5
marcidus Butl., 19
marcius Druce, 18
marginatus Rothsch., 12
marginotatus Leech, 18
marmorata Butl., 14
Matthewi Edw., 8
Mc. Glashani Edw., 8
mendocinulus Behr., 10
metellus Druce, 18
minor Stdgr., 5
minos Huds., 16
minutus Hamps., 20
mirabilis Rothsch., 12
Mlokossevitschi Rom., 9
modestus Edw., 6
momus Druce, 18
montanus Stretch, 9
monticola Maass, 14
munnea Schaus, 14
murinus Moore, 20
mustellinus Pack., 9

nanus Herr.-Schäff., 17
nausori Beth.-Bak., 19
nebulosus Alph., 9
nebulosus Haw., 9
nemorosa Esp., 6
nepulensis Walk., 19
nigricornis Walk., 14
niphadias Meyr., 22
niphonica Butl., 20

nomaqua Walk., 14
noserodes Meyr., 17
novae-zealandiae Walk., 16
n-signatus Weym., 18
nubifer Led., 9

obliquus F., 9
odorevalvula Beth.-Bak., 19
ombroloma Low., 9
oreas Schaus, 14
ornatus Butl., 19

pallens Blauch., 9
pallidus Horm., 11
papuana Oberth., 18
pardalinus Walk., 21
paropus Druce, 9
pauperatus Walk., 19
pellicia Swinh., 20
perdita Dyar, 11
phalerus Druce, 18
pharus Druce, 9
poecilus Horm., 11
polyspila Meyr., 17
pomalus Swinh., 12
pretiosus Herr.-Schäff., 9
proposus Druce, 9
prytanes Schaus, 14
pteromela Low., 17
pulchellus Heyne, 10
pulcher Grote, 8
punctimargo Swinh., 18
purpurascens Pack., 11
purpureus Moore, 18
pyrenaicus Herr.-Schäff., 10
pyrenaicus Donz., 10

quadriguttatus Grote, 11

Ramsayi Scott, 12
rectus Edw., 9
regius Stdgr., 18
remotus Pfütz., 10
rewaensis Beth.-Bak., 19
riteusis Beth.-Bak., 19
rosatus Pagenst., 10
roseicaput Neum., 8
rosulentus Weym., 18
rubroviridans White, 13
rufescens Walk., 22

salmonacea Rothsch., 16
salsettensis Moore, 17
sangaris Streck., 6
Schamyli Christ., 18
Scotti Scott, 12
scriptus Scott, 12
semiauratus Neum., 11
senex Huds., 16

- sequoiolus* Behr., 10
sericens Swinh., 18
serraticornis Gmel., 9
serta Schaus., 14
sexnotatus Moore, 20
signata Walk., 16
signifer Walk., 18
similis Feld., 17
simulans Walk., 17
sinensis Moore, 18
sinuosa Oll., 20
Sladeni Hamps., 14
Smithi Drnce, 18
socordis Frr., 4
sordida Rothsch., 13
sordidus Snell. (Palpifer), 20
sordidus Herr.-Schäff. (Zelotypia), 22
sphragidias Meyr., 22
splendens Scott, 13
Stacyi Scott, 20
Staudingeri Wgnr., 10
subfervens Butl., 14
subvarius Walk., 22
Swainsonii Scott, 15
sylvinus L., 10

tacomae Edw., 4
taprobanus Moore, 20
tasmaniae Walk., 15
tavoyanus Moore, 20
tegulatus Pagenst., 11
terea Schaus., 14
tessellatus Herr.-Schäff., 19

tesselloides Schaus., 14
thermistis Low., 11
thule Streck., 12
thulensis Crotch, 7
transversus Walk., 19
triangularis Edw., 19
trichiloides Walk., 22
trojesa Schaus., 19

umbraculata Guér., 22
umbrifera Feld., 19
umbrinus Moore, 11
undulifer Walk., 18
uralensis Gr.-Gr., 11
uredo Frr., 4

variabilis Brem., 11
varians Stdgr., 9
variolaris Guér., 16
varius Stdgr., 11
velleda Hbn., 5
velleda Boisd., 5
venosa Blanch., 14
Venus Stoll, 15
vexata Walk., 16
vilis Walk., 20
violacea Butl., 14
virescens Duble, 13
viridis Swinh., 19
vitiensis Rothsch., 15

Zelleri Dew., 20



